

ABOUT US

Çağkan Kankim Chemistry Limited Company, which started out in 1996 and has a long history in its sector. It is one of the most efficient and reliable companies in the field of chemicals, solvent raw materials, sales and supply.

Our company, which has been developing itself every day since the day it was founded, has not limited its production to solvent only, has continued to be useful to the sector by adding new products to its production.

Basic industrial technical products which will reach to the end user in order to create the supply in the face of the demands that have occurred in recent times, also has decided to produce marine chemicals and hygiene and cleaning chemicals, Adakan Industrial Chemical and Maritime Company has established its product and semi-finished production substructure in our company and our company gathered group companies under the roof of ADAKAN GROUP.

ADAKAN GROUP COMPANIES:

- ÇAĞKAN KANKİM CHEMICAL LIMITED COMPANY
- ADAKAN INDUSTRIAL CHEMICALS JOINT-STOCK COMPANY

OUR PRODUCTION INFRASTRUCTURE

ADAKAN GROUP has 2500 m2 closed area factory for the production of the most economical and high quality products based on its raw material supplying power and advantage, ISO 9001: 2008 Quality Management System ISO 14001: 2004 Environmental Management System OHSAS 18001: 2007 Occupational Health and Safety Management System ISO 10002: 2004 Customer Satisfaction System is based on quality policy with production policy and acting as a solution partner before and after sales.

All the products we offer to the market, the manufacturer's documents and usage information are provided to our customers. Our aim is to maintain our honest and ethical trade, quality products and reliability in the market. Besides this, without compromising on quality, reasonable prices, long-term work with a quality product understanding and to exist in the market renewing ourselves every day is one of our priority goals. Except our own registered trademarks 'Private Label', the production capacity of our group which has production plan and infrastructure for service to private brands is daily 60 tons. Our raw material stocks and production and semi products capacity are 100 tons.

OUR PRODUCTS IN ADAKAN GROUP;

- INDUSTRIAL AND TECHNICAL CHEMICALS
- HYGIENE CLEANING CHEMICALS
- YACHT AND SHIP CHEMICALS
- NATURAL GRASS PAINT AND PLANT COLORANT





1010 - METAL REGENERATORMetal Replenishing, Polisher and Protector

PROPERTIES: Removes rust, oxidation, corrosion and tarnishing on metal surfaces. Provides brightness Prevents wetting of metal with water repellent properties. Delays contamination.

AREA OF USE: Specially designed to repair and polish stainless steel, brass, bronze, copper, aluminum and other metals.

APPLICATION: Some of the product is applied on the surface. First, the surface is cleaned with a microfiber cloth. After the product is cleaned from the surface, it is rubbed with a clean and dry cloth and polished.



500 gr ⊖

1020 - SRR MARINE

Special Cleaner For Rust, Lime, Silicate And Algae Remover On Boats.

PROPERTIES: Rust and algae on painted surfaces in boats and ships. Removes the remains.

AREA OF USE: It is used safely on decks, nickel and stainless steel rusts and machine rooms.

USAGE: The surface to be used is cleaned and wetted. The product is poured into a wet sponge and the foam is foamed. Sponge is applied to the surface with the soft part of the foam, wait a little and rinse the surface with water. Or it is sprayed to the pollution condition with spray (trigger) apparatus and waited for a while and then rinsed.



1 kg $\, {
m e}$



1030 - TEAK OIL Teak Oil

PROPERTIES: It is a special product designed for easy and fast maintenance of hard and oily wood such as teak, mahogany, sapele, iroko and rosewood used in outdoor environments. It provides protection against water damaging factors such as UV rays, mold, fungus and woodworms and extends the life of the wood. It is easy to absorb by the wood and allows the wood to breathe. Reveals the natural texture and beauty of wood. It can be used safely in all outdoor areas such as swimming pool borders and stairs, ship decks, garden furniture.

AREA OF USE: It can be used safely in all outdoor areas that are in intense contact with water such as swimming pool borders and stairs, ship decks, garden furniture. The surface must be cleaned before application. No thinning required. A clean, dry cloth with a flat brush is sufficient for application. Any excess oil remaining on the surface should be wiped off with a clean cloth after about 15-20 minutes. One coating is usually sufficient. Touch drying completes in 4 hours, waiting time between coats is 12-24 hours.



1 kg €

APPLICATION:

Depending on the surface;

- * 0,75 L and 10-15 m² surface is painted.
- ** 30-45 m² surface is painted with 2,5 L.

1040 - TEAK CLEANER Teak Cleaner

PROPERTIES: Teak Clenear is the first step of teak care application in 3 steps. It removes grease, dirt, oil from the teak and prepares the surface for the application of Teak Oil.

AREA OF USE: Teak Cleaner can be used safely on teak garden furniture, pool deck deck floors, boat deck without sanding and abrasion of wood fibers.

APPLICATION: Squeeze the product evenly on the wooden surface, let stand for 5 minutes, scrub carefully with a brush or wash with plenty of light pressure hard water. Do not dry the cleaner. Repeat if necessary. Smooth the surface with felt and freshen with teak oil.





1 kg e



1045 - TEAK BRIGHTENER Teak Brightener

PROPERTIES: Teak Brightener is the second step of the 3-step teak care application. It brightens woods such as teak and iroko. It reveals the veins of the wood/tree, allows it to breathe and gives a natural color. Extends the life of the tree. It does not damage the wooden surface. It works very quickly and efficiently. Does not harm the environment. There is no burning feature. Topcoat does not damage paint, varnish and boat equipment.

APPLICATION: Teak Brightener is ideal if it is applied to wet surface cleaned with Teak Claener immediately after. Spread the product evenly on the surface without diluting, wait for 5 minutes and scrub with a medium or hard brush. Rinse with fresh water. Shake the bottle before using the cleaner. Squeeze the Teak Polish evenly on the wooden surface moistened with fresh water. After waiting for 5 minutes, scrub with medium / hard brush. Rinse with fresh water. Do not dry the cleaner. Repeat if necessary.





1 kg e

1060 - ENGINE BILGE CLEANER Engine Bilge Cleaner

PROPERTIES: Respects the environment and the sea. The surfactants used are at least 90% biodegradable and contain no chlorinated solvents. Gives very fast and efficient results. Loosens and dissolves sludge, dirt, grease, fuel and oil in bilge. Eliminates lasting bilge odor It does not leave foam on the sea surface and dissolves in sea water and does not harm sea creatures. Does not emit gas and bad odor. Economical and effective. It does not damage any varnished and painted surfaces.

AREA OF USAGE: It can be used safely in engine room, engine and engine components. It does not damage any applied surfaces such as fender, fiberglass, rubber hoses, cables, metal and plastic.

APPLICATION: The amount of use should be proportioned according to the boat dimensions. 8 meters. About 1 lt. Add. If the bilge is completely dry, add clean water before use. For cleaning, the product must remain in the bilge of the moving boat for at least 1 hour. At the end of the cleaning process, bilge can be pumped according to local regulations.







1070 - ALL SURFACE CLEANERGeneral Surface Cleaner

PROPERTIES: This product, which is produced as a general cleaner for yachts and boats, can also be used for home, workplace, car and motorcycle surfaces. It is totally environment and nature friendly. It does not leave foam on sea surface and dissolves in sea water. There is no burning feature.

AREA OF USE: Provides effective cleaning on all surfaces including deck, leather and fabric of boats and yachts without damaging wood, filler materials, deck equipment and top coat paint. Removes all dirt and stains like oil, fuel, alcohol, fish blood and bird droppings with its specially developed formula. It can be easily used on surfaces such as mica, fiberglass, metal and plastic, car exterior, seat, ceiling, leather and fabric upholstery, carpet, curtain, rim, tire, motor and motorcycle oil residues, molded dirt and stains such as tea and coffee and glass surfaces. is an effective product.

APPLICATION: It can be sprayed evenly on the surface by diluting it directly or 1/4 according to the product pollution. 1-2 min. After waiting, the cloth is cleaned with a sponge or brush and rinsed with fresh water.





1 kg e

5 kg e

1080 - SHINE STARPolished Boat Shampoo (100% biodegradable)

PROPERTIES: Removes traces of diesel oil, grease, soot, soot, bird stains, flies and insects. It is polished, it gives a natural shine to the applied surface and protects it. It does not harm the environment and the sea thanks to its formula that dissolves in nature. Easy to rinse, leaving no stains and marks. Ph is a neutral product.

It has been tested and approved to be 100% biodegradable using OECD 301, 302A, 303A, 314 analysis methods.

APPLICATION: Depending on the product pollution 10 lt. It is used by diluting 100-150 ml into water. It is applied with a cloth, sponge or brush on the surface to be cleaned and rinsed with fresh water after the cleaning process.



1 kg $\, {
m e}$



5 kg e



